

Patient's characteristics:

Q1. Sex

Q2. Age

Q3. Type of oxygen therapy used at home

- Stationary oxygen concentrator
- Oxygen cylinder
- Liquid oxygen

Q4. Type of portable oxygen therapy

- Portable oxygen concentrator -POC-
- Portable liquid oxygen

Life habits related to portable oxygen therapy:

Q5. Why do you have oxygen for home (stationary oxygen concentrator/oxygen cylinder/liquid oxygen)?

- Because I drown
- Because I have respiratory failure
- Because I need it for my illness

Q6. When do you use this therapy?

- Only during the night
- Only during the day
- During the day and night

Q7. Why do you have a portable oxygen source (POC/portable liquid oxygen)?

- Because I need oxygen all day
- Because when I do an effort my blood oxygen go downs
- Because when I exercise, I drown
- I don't know

Q8. Currently, what description coincides with your choking (dyspnea)?

- I choke walking quickly or climbing a hill
- I cannot walk at the pace of my age people
- I cannot walk more than 100 meters without stopping
- I cannot leave home

Q9. Was a walking test performed to you before prescribing portable oxygen?

- Yes
- No

Q10. Was a walking test with oxygen performed to you know the needed oxygen amount?

- No
- Yes, with hospital oxygen
- Yes, with a portable oxygen concentrator

Q11. On average, you go out home:

- Several times a day
- Once a day
- 5 or 6 times a week
- 3 or 4 times a week
- 1 or 2 times per week
- 2 or 3 times per month
- Less than once a month

Q12. On average, how long are you out of home?

- More than 3 hours a day
- Between 1 and 3 hours a day
- Less than 1 hour a day

Q13. In general, how many times do you use portable oxygen?

- Several times a day
- Once a day
- 5 or 6 times a week
- 3 or 4 times a week
- 1 or 2 times per week
- 2 or 3 times per month
- Less than once a month

Q14. On average, how long do you use portable oxygen each time you go out?

- More than 3 hours
- Between 2 and 3 hours
- Between 1 and 2 hours
- Between half an hour and 1 hour
- Less than half an hour

Q15. In general, where do you use portable oxygen?

- Inside your home
- Outside of your home
- Both outside and inside your home

Q16. Outside your home, you use portable oxygen for:

- Go for a walk
- Visit family and friends
- Go shopping
- Go to the medical centre, clinic or hospital.

Q17. Do you use portable oxygen connected to the electrical grid?

- Yes
- No
- Only when it is charging

Q18. On average, how many times do you use portable oxygen connected to electrical grid?

- More than 3 hours
- Between 2 and 3 hours
- Between 1 and 2 hours
- Between half an hour and 1 hour

- Less than half an hour

Q19. How is the access to your home?

- Yes
- No
- Only when it is charging

Q20. Who do you live with?

- Alone
- In couple
- With my family
- In a center

Q21. Do you have a caregiver at your disposal (not a family member)?

- No
- Some hours a day
- All the time

Q22. Do you have problems climbing stairs with the portable oxygen?

- Yes
- No
- Sometimes

Q23. How do you transport the portable oxygen?

- On the shoulder
- With a wheel trolley
- It is carried by a family member / caregiver

Q24. How do you rate the battery life?

- Enough
- Insufficient
- Very insufficient

Q25. What are the reasons you like having a portable oxygen? (Multiple answer)

- It allows me leaving the house with less choking
- It gives me peace of mind to leave home
- At home, I can move without using extension cords
- They are light and easy to use

Q26. What are the reasons why you do not like using the portable oxygen? (Multiple answer)

- They are too heavy
- They are difficult to use
- They make too much noise
- I do not want people to see that I need oxygen