


Figure S1. Schematic showing the steps and potential delays between TB case symptom onset and treatment initiation



NA – Not applicable

Figure S2. Quantile-Quantile plots for explanatory variables for the presentation delay outcome, persons with pulmonary TB in South East England, 2011-2015

Figure S2a




Figure S2b




Figure S2c




Figure S2d




Figure S2e




Figure S2f




Figure S2g




Figure S2h




Figure S2i




Figure S2j




Figure S2k




Figure S2l




Figure S2m




Figure S2n





Figure S2o






Figure S2q




Figure S2r




Figure S2s




Figure S3. Quantile-Quantile plots for explanatory variables for the health care delay outcome, persons with pulmonary TB in South East England, 2011-2015

Figure S3a




Figure S3b




Figure S3c




Figure S3d




Figure S3e




Figure S3f




Figure S3g




Figure S3h




Figure S3i




Figure S3j




Figure S3k




Figure S3l




Figure S3m




Figure S3n




Figure S3o




Figure S3p






Figure S4. Kaplan Meier estimated survival curve for presentation delay, and predicted survival curve for presentation delay from the full multivariable model (n=779). Median 'survival' of 30 days using the KM estimate, and 32 days using the predicted estimate. Cases with pTB, South East England 2011-2015



KM – Kaplan Meier estimated survival

Figure S5. Kaplan Meier estimated survival curve for healthcare delay, and predicted survival curve for healthcare delay from the full multivariable model (n=621). Median 'survival' of 35 days using the KM estimate, and 37 days using the predicted estimate. Cases with pTB, South East England 2011-2015.



KM – Kaplan Meier estimated survival